

	Application No.	Applicant(s)
Notice of Allowability	09/928,827	OAKEY ET AL.
	Examiner	Art Unit
	Thu Khanh T. Nguyen	1722
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1.		
attached Examiner's comment regarding REQUIREMENT FOR To Attachment(s)		
1 ☐ Notice of References Cited (PTO-892)	5⊟ Notice of Informal Pa	tent Application (PTO-152)
2 Notice of Draftperson's Patent Drawing Review (PTO-948) 3 Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No	6⊠ Interview Summary (• • • • • • • • • • • • • • • • • • • •
	- `	. , —
4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statemen 9⊡ Other	t of Reasons for Allowance

Art Unit: 1722

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Duke Taylor on December 4, 2003.

The application has been amended as follows: cancel non-elected claims 1-25 and 36-38.

Allowable Subject Matter

- 2. Claims 26-35 are allowed over the prior art of record.
- 3. The following is an examiner's statement of reasons for allowance:

Weisner et al ('414) teach an apparatus and method for forming plastic skylights. The method comprises the steps of:

1- heating the sheet to a first temperature or a forming state (46; col. 1, last line to col. 2, 1st line), 2 - terminating heating of the sheet by removing the sheet from the heating station (col. 2, lines 1-2), 3 - retaining the sheet between the first and second mold halves with the sheet being supported along a peripheral edge of the mold halves (Fig. 6; col. 3, lines 51-60), 4 - generating a vacuum on one side of the sheet to draw the sheet into an interior space of one of the mold halves while the center portion of the sheet remains supported in space relationship to the mold halves (Fig. 6, col. 3, line 62 to col. 4, line 2 - claim 32); and 5 - cooling the sheet to a

Application/Control Number: 09/928,827

Art Unit: 1722

Page 3

second temperature by removing the sheet from the heating station, by vacuum forming in which the mold might not be heated (col. 4, lines 43-44), and by unloading the sheet from the forming station (col. 4, lines 2-4 – claim 26 & 32).

Weisner et al fail to disclose that the first temperature is higher than the glass transition temperature and the sheet achieves a glass transition state, and the heating of the sheet is terminated **prior** to placing in first and second mold halves.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thu Khanh T. Nguyen whose telephone number is 571-272-1136. The examiner can normally be reached on Monday- Friday, 6:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wanda L Walker can be reached on 703-308-0457. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

ROBERT DAVIS RIMARY EXAMINER GROUP-1300-1775

12/8/03

TN